

PVC and CPVC Schedule 80 Pipe

Nominal Pipe Size (in.)	Outside Diameter	Min. Wall	Approximate Wt. (lbs/100 ft)	
			PVC	CPVC
1/4	.540	.119	10.0	10.9
3/8	.675	.126	13.8	15.0
1/2	.840	.147	20.4	22.1
3/4	1.050	.154	27.0	30.0
1	1.315	.179	41.0	44.2
1 1/4	1.660	.191	52.2	61.0
1 1/2	1.900	.200	66.8	73.9
2	2.375	.218	94.5	102.2
2 1/2	2.875	.276	144.5	155.9
3	3.500	.300	194.2	208.6
4	4.500	.337	275.2	304.9
5	5.563	.375	387.3	—
6	6.625	.432	541.5	581.5
8	8.625	.500	805.2	882.9
10	10.750	.593	1200.0	1309.1
12	12.750	.687	1650.0	1801.2
14	14.000	.750	1930.0	—
16	16.000	.843	2544.1	—

Note: All dimensions are in inches.

DIMENSIONS AND WEIGHTS

SDR Pressure Pipe

Nominal Pipe Size (in.)	Outside Diameter	SDR 13.5 (PR 315)		SDR 21 (PR 200)		SDR 26 (PR 160)	
		Min. Wall	Approx. Wt. (lbs/100 ft)	Min. Wall	Approx. Wt. (lbs/100 ft)	Min. Wall	Approx. Wt. (lbs/100 ft)
1/2	.840	.062	9.5				
3/4	1.050			.060	12.9		
1	1.315			.063	17.1		
1 1/4	1.660			.079	26.3	.064	21.4
1 1/2	1.900			.090	33.8	.073	27.7
2	2.375			.113	52.1	.091	42.8
2 1/2	2.875			.137	75.8	.110	63.9
3	3.500			.167	111.8	.135	93.4
4	4.500			.214	184.8	.173	151.0
5	5.563			.265	282.3	.214	230.9
6	6.625			.316	417.5	.255	336.9
8	8.625			.410	676.5	.332	553.4
10	10.750			.511	1051.6	.413	858.9
12	12.750					.490	1208.5
14	14.000					.538	1472.0
16	16.000					.615	1919.0

DIMENSIONS AND WEIGHTS

PVC and CPVC Schedule 40 Pipe

Nominal Pipe Size (in.)	Outside Diameter	Min. Wall	Approximate Wt. (lbs/100 ft)	
			PVC	CPVC
1/2	.840	.109	16.2	17.3
3/4	1.050	.113	21.4	23.0
1	1.315	.133	31.5	34.2
1 1/4	1.660	.140	42.6	46.3
1 1/2	1.900	.145	50.8	55.3
2	2.375	.154	68.2	74.3
2 1/2	2.875	.203	107.0	117.9
3	3.500	.216	140.8	154.2
4	4.500	.237	200.5	219.6
5	5.563	.258	272.5	—
6	6.625	.280	353.3	386.1
8	8.625	.322	538.6	581.1
10	10.750	.365	755.0	823.8
12	12.750	.406	1001.0	1089.2
14	14.000	.438	1180.1	—
16	16.000	.500	1543.1	—